



Random Sample # 1 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $43.79 + 0.92 * \text{FOREHEAD}$ SE For Slope = 1.24 CI For Slope = -1.51 to 3.34 Success!

Random Sample # 2 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $47.92 + 0.01 * \text{FOREHEAD}$ SE For Slope = 1.20 CI For Slope = -2.33 to 2.35 Success!

Random Sample # 3 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $48.74 + -0.46 * \text{FOREHEAD}$ SE For Slope = 1.24 CI For Slope = -2.9 to 1.98 Success!

Random Sample # 4 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $50.74 + -0.6 * \text{FOREHEAD}$ SE For Slope = 1.05 CI For Slope = -2.66 to 1.47 Success!

Random Sample # 5 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $46.99 + 0.12 * \text{FOREHEAD}$ SE For Slope = 1.30 CI For Slope = -2.43 to 2.67 Success!

Random Sample # 6 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $64.63 + -3.54 * \text{FOREHEAD}$ SE For Slope = 1.10 CI For Slope = -5.69 to -1.38 Failure!

Random Sample # 7 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $56.14 + -1.75 * \text{FOREHEAD}$ SE For Slope = 1.13 CI For Slope = -3.97 to 0.46 Success!

Random Sample # 8 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $47.06 + 0.01 * \text{FOREHEAD}$ SE For Slope = 1.30 CI For Slope = -2.54 to 2.56 Success!

Random Sample # 9 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $49.15 + -0.31 * \text{FOREHEAD}$ SE For Slope = 1.06 CI For Slope = -2.39 to 1.77 Success!

Random Sample # 10 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $43.42 + 0.83 * \text{FOREHEAD}$ SE For Slope = 1.04 CI For Slope = -1.21 to 2.87 Success!

Random Sample # 11 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $47.79 - 0.09 * \text{FOREHEAD}$ SE For Slope = 1.18 CI For Slope = -2.4 to 2.21 Success!

Random Sample # 12 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $51.63 + -0.93 * \text{FOREHEAD}$ SE For Slope = 1.15 CI For Slope = -3.19 to 1.33 Success!


Random Sample # 13 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.


Fitted Model: Predicted READING = $43.74 + 0.78 * \text{FOREHEAD}$ SE For Slope = 1.27 CI For Slope = -1.7 to 3.27 Success!

Random Sample # 14 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $55.17 + -1.7 * \text{FOREHEAD}$ SE For Slope = 0.95 CI For Slope = -3.56 to 0.16 Success!


Random Sample # 15 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.


Fitted Model: Predicted READING = $48.02 + -0.15 * \text{FOREHEAD}$ SE For Slope = 1.25 CI For Slope = -2.6 to 2.3 Success!

Random Sample # 16 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $49.73 - 0.51 * \text{FOREHEAD}$ SE For Slope = 1.12 CI For Slope = -2.7 to 1.68 Success!

Random Sample # 17 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $51.98 + -0.75 * \text{FOREHEAD}$ SE For Slope = 1.29 CI For Slope = -3.28 to 1.77 Success!

Random Sample # 18 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $46.87 + 0.24 * \text{FOREHEAD}$ SE For Slope = 1.10 CI For Slope = -1.91 to 2.39 Success!

Random Sample # 19 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $49.47 + -0.18 * \text{FOREHEAD}$ SE For Slope = 1.09 CI For Slope = -2.33 to 1.97 Success!

Random Sample # 20 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $44.81 + 0.59 * \text{FOREHEAD}$ SE For Slope = 1.24 CI For Slope = -1.84 to 3.02 Success!

Random Sample # 21 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $49.7 + -0.33 * \text{FOREHEAD}$ SE For Slope = 1.11 CI For Slope = -2.51 to 1.86 Success!

Random Sample # 22 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $56.56 + -1.74 * \text{FOREHEAD}$ SE For Slope = 1.10 CI For Slope = -3.89 to 0.42 Success!

Random Sample # 23 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $44.88 + 0.69 * \text{FOREHEAD}$ SE For Slope = 1.24 CI For Slope = -1.73 to 3.11 Success!

Random Sample # 24 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $55.49 + -1.66 * \text{FOREHEAD}$ SE For Slope = 1.21 CI For Slope = -4.04 to 0.71 Success!

Random Sample # 25 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $57.14 + -1.85 * \text{FOREHEAD}$ SE For Slope = 1.08 CI For Slope = -3.96 to 0.26 Success!

Random Sample # 26 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $46.59 - 0.03 * \text{FOREHEAD}$ SE For Slope = 1.24 CI For Slope = -2.47 to 2.4 Success!

Random Sample # 27 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $58.21 + -1.92 * \text{FOREHEAD}$ SE For Slope = 1.08 CI For Slope = -4.04 to 0.19 Success!

Random Sample # 28 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $47.87 + -0.18 * \text{FOREHEAD}$ SE For Slope = 1.22 CI For Slope = -2.57 to 2.21 Success!

Random Sample # 29 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $52.5 + -0.88 * \text{FOREHEAD}$ SE For Slope = 1.22 CI For Slope = -3.27 to 1.51 Success!


Random Sample # 30 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.


Fitted Model: Predicted READING = $41.87 + 1.03 * \text{FOREHEAD}$ SE For Slope = 1.24 CI For Slope = -1.4 to 3.46 Success!

Random Sample # 31 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $62.02 + -2.77 * \text{FOREHEAD}$ SE For Slope = 1.29 CI For Slope = -5.3 to -0.24 Success!

Random Sample # 32 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $48.54 + -0.12 * \text{FOREHEAD}$ SE For Slope = 1.19 CI For Slope = -2.46 to 2.22 Success!

Random Sample # 33 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $44.43 + 0.61 * \text{FOREHEAD}$ SE For Slope = 1.15 CI For Slope = -1.65 to 2.87 Success!

Random Sample # 34 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $53 + -1.02 * \text{FOREHEAD}$ SE For Slope = 1.27 CI For Slope = -3.52 to 1.48 Success!

Random Sample # 35 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $48.75 + -0.44 * \text{FOREHEAD}$ SE For Slope = 1.07 CI For Slope = -2.55 to 1.66 Success!

Random Sample # 36 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $49.28 + -0.53 * \text{FOREHEAD}$ SE For Slope = 1.20 CI For Slope = -2.89 to 1.83 Success!

Random Sample # 37 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $45.23 + 0.48 * \text{FOREHEAD}$ SE For Slope = 1.10 CI For Slope = -1.68 to 2.64 Success!

Random Sample # 38 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $51.47 + -0.86 * \text{FOREHEAD}$ SE For Slope = 1.06 CI For Slope = -2.95 to 1.22 Success!


Random Sample # 39 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.


Fitted Model: Predicted READING = $59.11 - 2.38 * \text{FOREHEAD}$ SE For Slope = 1.07 CI For Slope = -4.49 to -0.28 Success!

Random Sample # 40 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $58.91 + -2.15 * \text{FOREHEAD}$ SE For Slope = 1.23 CI For Slope = -4.57 to 0.27 Success!

Random Sample # 41 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $53.26 + -0.99 * \text{FOREHEAD}$ SE For Slope = 1.09 CI For Slope = -3.13 to 1.16 Success!

Random Sample # 42 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $47.19 + 0.08 * \text{FOREHEAD}$ SE For Slope = 1.20 CI For Slope = -2.27 to 2.43 Success!

Random Sample # 43 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $48.9 - 0.22 * \text{FOREHEAD}$ SE For Slope = 1.18 CI For Slope = -2.53 to 2.09 Success!

Random Sample # 44 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $52.47 + -1.21 * \text{FOREHEAD}$ SE For Slope = 1.22 CI For Slope = -3.61 to 1.18 Success!

Random Sample # 45 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $55.18 + -1.48 * \text{FOREHEAD}$ SE For Slope = 1.13 CI For Slope = -3.7 to 0.74 Success!

Random Sample # 46 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $43.42 + 0.86 * \text{FOREHEAD}$ SE For Slope = 1.21 CI For Slope = -1.51 to 3.23 Success!

Random Sample # 47 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $48.89 + -0.26 * \text{FOREHEAD}$ SE For Slope = 1.18 CI For Slope = -2.56 to 2.05 Success!

Random Sample # 48 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $55.35 + -1.65 * \text{FOREHEAD}$ SE For Slope = 1.12 CI For Slope = -3.85 to 0.55 Success!

Random Sample # 49 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $46.51 + 0.24 * \text{FOREHEAD}$ SE For Slope = 1.23 CI For Slope = -2.18 to 2.66 Success!

Random Sample # 50 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $43.17 + 0.73 * \text{FOREHEAD}$ SE For Slope = 1.15 CI For Slope = -1.52 to 2.98 Success!

Random Sample # 51 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $43.13 + 0.85 * \text{FOREHEAD}$ SE For Slope = 1.24 CI For Slope = -1.58 to 3.29 Success!

Random Sample # 52 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $38.32 + 2.15 * \text{FOREHEAD}$ SE For Slope = 1.10 CI For Slope = -0.01 to 4.32 Failure!


Random Sample # 53 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.


Fitted Model: Predicted READING = $44.56 + 0.39 * \text{FOREHEAD}$ SE For Slope = 1.07 CI For Slope = -1.7 to 2.48 Success!

Random Sample # 54 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $43.99 + 0.75 * \text{FOREHEAD}$ SE For Slope = 1.24 CI For Slope = -1.68 to 3.18 Success!

Random Sample # 55 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $38.79 + 1.77 * \text{FOREHEAD}$ SE For Slope = 1.16 CI For Slope = -0.49 to 4.04 Success!

Random Sample # 56 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $49.85 + -0.52 * \text{FOREHEAD}$ SE For Slope = 1.17 CI For Slope = -2.82 to 1.78 Success!

Random Sample # 57 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $47.38 + 0.04 * \text{FOREHEAD}$ SE For Slope = 1.23 CI For Slope = -2.37 to 2.44 Success!

Random Sample # 58 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $50.26 + -0.63 * \text{FOREHEAD}$ SE For Slope = 1.25 CI For Slope = -3.09 to 1.83 Success!

Random Sample # 59 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $58.17 - 2.1 * \text{FOREHEAD}$ SE For Slope = 1.21 CI For Slope = -4.48 to 0.28 Success!

Random Sample # 60 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $46.35 + 0.33 * \text{FOREHEAD}$ SE For Slope = 1.14 CI For Slope = -1.91 to 2.57 Success!

Random Sample # 61 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $42.05 + 1.18 * \text{FOREHEAD}$ SE For Slope = 1.28 CI For Slope = -1.33 to 3.69 Success!

Random Sample # 62 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $49.56 - 0.58 * \text{FOREHEAD}$ SE For Slope = 1.08 CI For Slope = -2.7 to 1.55 Success!


Random Sample # 63 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.


Fitted Model: Predicted READING = $51.4 + -0.93 * \text{FOREHEAD}$ SE For Slope = 1.19 CI For Slope = -3.26 to 1.4 Success!

Random Sample # 64 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $62.71 + -2.99 * \text{FOREHEAD}$ SE For Slope = 1.12 CI For Slope = -5.18 to -0.79 Failure!

Random Sample # 65 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $49.01 - 0.51 * \text{FOREHEAD}$ SE For Slope = 1.17 CI For Slope = -2.81 to 1.79 Success!

Random Sample # 66 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $49.71 - 0.44 * \text{FOREHEAD}$ SE For Slope = 1.26 CI For Slope = -2.9 to 2.02 Success!

Random Sample # 67 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $55.99 + -1.68 * \text{FOREHEAD}$ SE For Slope = 1.26 CI For Slope = -4.14 to 0.78 Success!

Random Sample # 68 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $53.5 - 1.32 * \text{FOREHEAD}$ SE For Slope = 1.24 CI For Slope = -3.75 to 1.11 Success!

Random Sample # 69 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $55.58 + -1.52 * \text{FOREHEAD}$ SE For Slope = 1.02 CI For Slope = -3.53 to 0.48 Success!

Random Sample # 70 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $38.82 + 1.74 * \text{FOREHEAD}$ SE For Slope = 1.15 CI For Slope = -0.52 to 4 Success!

Random Sample # 71 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $50.03 + -0.46 * \text{FOREHEAD}$ SE For Slope = 1.13 CI For Slope = -2.68 to 1.76 Success!

Random Sample # 72 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $46.97 + 0.05 * \text{FOREHEAD}$ SE For Slope = 1.25 CI For Slope = -2.4 to 2.5 Success!

Random Sample # 73 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $56.34 + -1.65 * \text{FOREHEAD}$ SE For Slope = 1.20 CI For Slope = -4 to 0.69 Success!

Random Sample # 74 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $51.03 + -0.75 * \text{FOREHEAD}$ SE For Slope = 1.15 CI For Slope = -3 to 1.49 Success!

Random Sample # 75 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $48.07 + -0.15 * \text{FOREHEAD}$ SE For Slope = 1.26 CI For Slope = -2.62 to 2.33 Success!

Random Sample # 76 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $49.01 + -0.23 * \text{FOREHEAD}$ SE For Slope = 1.03 CI For Slope = -2.24 to 1.78 Success!

Random Sample # 77 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $40.91 + 1.09 * \text{FOREHEAD}$ SE For Slope = 1.10 CI For Slope = -1.08 to 3.25 Success!

Random Sample # 78 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $44.51 + 0.39 * \text{FOREHEAD}$ SE For Slope = 1.20 CI For Slope = -1.95 to 2.73 Success!

Random Sample # 79 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $49.18 + -0.21 * \text{FOREHEAD}$ SE For Slope = 1.13 CI For Slope = -2.42 to 2.01 Success!

Random Sample # 80 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $52.35 - 0.9 * \text{FOREHEAD}$ SE For Slope = 1.26 CI For Slope = -3.37 to 1.56 Success!

Random Sample # 81 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $36.21 + 2.25 * \text{FOREHEAD}$ SE For Slope = 1.16 CI For Slope = -0.02 to 4.53 Failure!

Random Sample # 82 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $47.36 + -0.08 * \text{FOREHEAD}$ SE For Slope = 1.15 CI For Slope = -2.33 to 2.17 Success!


Random Sample # 83 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.


Fitted Model: Predicted READING = $45.7 + 0.36 * \text{FOREHEAD}$ SE For Slope = 1.12 CI For Slope = -1.84 to 2.55 Success!

Random Sample # 84 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $44.76 + 0.56 * \text{FOREHEAD}$ SE For Slope = 1.13 CI For Slope = -1.65 to 2.78 Success!

Random Sample # 85 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $51.71 + -0.67 * \text{FOREHEAD}$ SE For Slope = 0.97 CI For Slope = -2.58 to 1.23 Success!

Random Sample # 86 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $42.77 + 0.94 * \text{FOREHEAD}$ SE For Slope = 1.02 CI For Slope = -1.05 to 2.94 Success!

Random Sample # 87 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $52.07 + -1.12 * \text{FOREHEAD}$ SE For Slope = 1.07 CI For Slope = -3.23 to 0.98 Success!

Random Sample # 88 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $55.76 + -1.51 * \text{FOREHEAD}$ SE For Slope = 1.09 CI For Slope = -3.65 to 0.62 Success!

Random Sample # 89 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $51.27 + -0.84 * \text{FOREHEAD}$ SE For Slope = 1.10 CI For Slope = -3 to 1.33 Success!

Random Sample # 90 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $49.29 + -0.32 * \text{FOREHEAD}$ SE For Slope = 1.14 CI For Slope = -2.56 to 1.91 Success!


Random Sample # 91 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.


Fitted Model: Predicted READING = $59.61 + -2.55 * \text{FOREHEAD}$ SE For Slope = 1.23 CI For Slope = -4.95 to -0.15 Success!

Random Sample # 92 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $42.71 + 1.02 * \text{FOREHEAD}$ SE For Slope = 1.25 CI For Slope = -1.44 to 3.47 Success!

Random Sample # 93 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $45.39 + 0.47 * \text{FOREHEAD}$ SE For Slope = 1.04 CI For Slope = -1.58 to 2.52 Success!

Random Sample # 94 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $51.91 + -0.94 * \text{FOREHEAD}$ SE For Slope = 1.12 CI For Slope = -3.14 to 1.26 Success!

Random Sample # 95 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $46.96 + 0.16 * \text{FOREHEAD}$ SE For Slope = 1.08 CI For Slope = -1.96 to 2.28 Success!

Random Sample # 96 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $48.61 - 0.14 * \text{FOREHEAD}$ SE For Slope = 1.16 CI For Slope = -2.4 to 2.13 Success!

Random Sample # 97 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $53.94 + -1.39 * \text{FOREHEAD}$ SE For Slope = 1.08 CI For Slope = -3.52 to 0.73 Success!

Random Sample # 98 : READING vs. FOREHEAD (n = 225)




Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $49.55 + -0.4 * \text{FOREHEAD}$ SE For Slope = 1.08 CI For Slope = -2.51 to 1.71 Success!

Random Sample # 99 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.
Fitted Model: Predicted READING = $52.59 - 1.07 * \text{FOREHEAD}$ SE For Slope = 1.10 CI For Slope = -3.23 to 1.1 Success!


Random Sample # 100 : READING vs. FOREHEAD (n = 225)



Note that the confidence interval for the slope and the confidence interval for the line may give slightly different results. Different jobs; different results.

Fitted Model: Predicted READING = $51.56 + -0.72 * \text{FOREHEAD}$ SE For Slope = 1.16 CI For Slope = -3 to 1.57 Success!

Sampling Distribution of Slope Parameter Estimates:
100 Samples of 225 Observations Each



Mean = -0.4 , Compare to the Population Slope of -0.33

Standard Deviation = 1.09 , Compare to the Average Standard Error of 1.16